

VOLOSHINA, A.M.

Presence of upper Cretaceous deposits in borehole profiles in the  
Carpathian piedmont fault. Geol.sber.[Lvov] no.2/3:323-324 '56.  
(MIRA 10:3)

1. Institut geologii poleznykh iskopayemykh AN USSR, L'vov.  
(Carpathian Mountain Region--Geology, Stratigraphic)

VOLOSHINA, A. M.

"Foraminifera of the Upper Cretaceous of the Volyno-Podol Slab and Their Significance in Stratigraphy." Cand Geol-Min Sci, L'vov U, L'vov, 1954. (RZhGeol, Dec 54)

Survey of Scientific and Technical Dissertations Defended at USSR Higher Educational Institutions (12)  
SO: Sum. No. 556 24 Jun 55

VOLOSHINA, A.P.

Some characteristics of the microclimate in the middle Angara Valley. Vest. Mosk. un. Ser. biol., pochv., geol., geog. 13  
no. 1:221-230 '58. (MIRA 11:7)

1. Moskovskiy gosudarstvennyy universitet, Kafedra klimatologii.  
(Angara Valley--Climate)

ZIL'BERMINTS, Lyudmila Veniaminovna; VOLOSHINA, D.A., red. [deceased];  
ZMEYEVA, N.Ya., red.; VZNETSIANOVA, Ye.S., bibliograf.red.;  
KRYUCHKOVSKIY, S.A., bibliograf.red.

[Bibliography of Soviet technical bibliography, 1917-1959]  
Bibliografiia sovetskoi tekhnicheskoi bibliografii 1917-1959.  
Pod red. D.A.Voloshina i N.IA.Zmeevoi. Leningrad, M-vo  
kul'tury RSFSR. Gos.publichnain biblioteka im. M.E.Saltykova-  
Snchedrina, 1959. 505 p. (MIRA 13:1)  
(Bibliography--Technology)

VOLOSHINA, I. Ya.

UssR/Medicine - Diseases, Internal - Feb 49  
Organs

Medicine - Cholinesterase

"Cholinesterase in the Blood of Hepatopathias,"  
Prof B. S. Shklyar, Dir, Chair of Propedeutics  
of Internal Diseases, I. Ya. Voloshina, Chair of  
Internal Physical, Vinnitsa Med Inst, 5 pp

"Uss Med" Vol XVII, No 2

A substantial decrease of cholinesterase in the  
blood is observed in cases with hepatosis. Deter-  
mination of cholinesterase in the blood may be  
used as a method for functional study of the liver.  
Cholinesterase content returns to normal  
58/49R69

UssR/Medicine - Diseases, Internal Feb 49  
Organs (Contd)

with an improvement in the hepatic condition, than  
do other hepatic functional indexes.

58/49R69

18 8200 2808

25922

S/126/61/012/001/014/020  
E193/E480

AUTHORS: Voloshina, L.A. and Rozenberg, V.M.

TITLE: Investigation into the creep of aluminium bi-crystals

PERIODICAL: Fizika metallov i metallovedeniye, 1961, Vol.12, No.1,  
pp.118-124

TEXT: The generally accepted view that the relative movement of crystals plays an important part in deformation during creep is based partly on the fact that grains stand up in relief on a preliminarily polished surface of a specimen tested in creep. However, it can be postulated that this effect is caused not by crystal boundary sliding but by the fact that the adjacent crystals are deformed in a different manner. The most convenient way of checking this theory is to conduct creep tests on specimens on which the behaviour of any given grain boundary can be easily studied, bi-crystal specimens being most suitable for this purpose. The effect of temperature, applied stress and degree of misorientation between grains on the rate of creep and degree of deformation of bi-crystals has been studied by several workers. The object of the present investigation was to measure the elongation of various parts

Card 1/7

X

Investigation into the creep ...

25922

S/126/61/012/001/014/020  
E193/E480

of an aluminium bi-crystal test piece with a particular reference to the grain-boundary regions and to study the microstructure of these regions. The bi-crystal specimens were prepared from A8000 (AV000) grade aluminium by the usual method of annealing the lightly deformed metal. The creep test pieces (with the parallel portion measuring 25 x 5 x 3 mm) were cut from the blanks in such a way that the bi-crystal boundary was inclined at 45° to the test piece axis. The test pieces were annealed at 600°C and electrolytically polished, after which a set of thin scratches was inscribed with an aluminium alloy scribe on the polished surface. All creep tests were carried out at 300°C under an initial stress of 0.2 kg/mm<sup>2</sup>. Each test was periodically interrupted and, after cooling the test piece to room temperature, the total elongation of the gauge length, the elongation of each crystal and the displacement of the scratches intersecting the grain-boundary were measured. Metallographic and X-ray diffraction analyses of the specimens were also carried out. Typical results are reproduced in Fig.1, where the relative elongation (%) is plotted against time (hours); this graph was constructed for a test piece whose stereographic projection is illustrated in Fig.2, where

Card 2/7

Investigation into the creep ...

25922

S/126/61/012/001/014/020  
E193/E480

continuous and broken lines relate to the first and second crystals respectively; the plane of projection corresponds to the specimen surface, the point in the centre of the projection representing normal to the specimen surface; the arrow indicates the direction of applied stress. The gauge length of the specimen was divided into 5 parts in the way shown in the insert in Fig.1. Curve 1 in Fig.1 relates to the entire gauge length (i.e. to the part of the test piece bounded by points 1 to 6) while curves 2, 3, 4, 5 and 6 relate to parts bounded by points 1-2, 2-3, 3-4, 4-5 and 5-6 respectively. It will be seen that the rate of creep varied considerably from one part of the test piece to another. It is particularly significant that the rate of creep of the part containing the grain-boundary, i.e. the part bounded by points 3-4 (curve 4), was slower than that of the adjacent parts, bounded by points 2-3 and 4-5 (curves 3 and 5 respectively). Owing to the difference in the orientation, the rate of creep of any part belonging to the crystal bounded by points 1-3 was slower than the rate of creep of any part of the crystal bounded by points 4-6. The results of other measurements are best summarized by referring to Fig.3. which shows diagrammatically the bi-crystal (a) before Card 3, 7



Investigation into the creep ...

25922

S/126/61/012/001/014/020  
E193/E480

and (b) after deformation; the symbol  $\ell$  in Fig.38 denotes the grain-boundary displacement and  $x = 1 \cos \alpha$  is the component of  $\ell$  resolved in the direction of applied stress. It will be seen from Fig.4, where  $x(\mu)$  is plotted against the strain  $\Delta \epsilon_{3-4}(\mu)$  of the part of the test piece bounded by points 3-4, that  $x$  is by one order of magnitude smaller than  $\Delta \epsilon_{3-4}$  and that there is a definite (linear) relationship between these two parameters. By the process of elimination of the possible explanations of these facts, the present authors showed that the observed displacement of the grains is a result of the deformation of the grains in the grain-boundary region and not vice versa. This conclusion was supported by the results of the next series of measurements, whose results are reproduced in Fig.6, where the vertical component of  $\ell$ , that is the height  $\mu$  of the step formed by the grain-boundary displacement, is plotted against time (hours), blocks 1-7 showing the magnitude of this component at various points along the grain-boundary, as marked on the insert in Fig.6. It will be seen that not only the height of the step varies along the grain-boundary but that there is a point at which the grain-boundary displacement throughout the duration of the creep test remains smaller than at Card 4/7

25922

S/126/61/012/001/014/020

E193/E480

Investigation into the creep ...

any other point; in addition, the height of the step at certain points of the grain-boundary decreases with time (see point 3 after 14 hours, point 5 after 40 hours, etc). These results, correlated with the results of metallographic and X-ray analysis, show conclusively that the formation of steps at the grain-boundary during creep is not caused by grain-boundary sliding (relative movement of the adjacent grains) but is mainly a result of the difference in the degree of deformation of the crystals in the regions adjacent to the grain-boundary. Acknowledgments are made to the student I.B.Finkel'shteyn who participated in this work. There are 8 figures, 1 table and 8 references: 3 Soviet and 5 non-Soviet. The four most recent references to English language publications read as follows: McLean D., Farmer M.H. J.Inst. Metals, 1956, October; Tung S.K., Maddin R. J.Metals, 1957, 9, No.7, Sec., 2, 905; Rhines F.N., Borud W.E., Kissel M.A. Trans. ASM, 1956, 48, 919; Intrater J., Machlin E.S. J.Inst. Metals, 1960, 88, No.7, 305.

ASSOCIATION: Institut metallovedeniya i fiziki metallov TsNIICHM  
(Institute of Metal Science and Physics of Metals

SUBMITTED: September 9, 1960  
Card 5/7

TsNIICHM)

10 7300 *also 1413* 26561

S/126/61/012/002/011/019  
E021/E480

AUTHORS: Voloshina, L.A., Rozenberg, V.M. and Finkel'shteyn, I.B.

TITLE: The connection between boundary migration and  
deformation in the boundary zones during the creep of  
metals

PERIODICAL: Fizika metallov i metallovedeniye, 1961, Vol.12, No.2,  
pp.265-268

TEXT: Experiments were carried out on bicrystals of aluminium. The boundary between the crystals was at  $45^\circ$  to the strain axis of the sample. A stress of  $200 \text{ g/mm}^2$  and a temperature of  $300^\circ\text{C}$  were used. Lines intersecting the grain boundary were drawn on the electropolished surface before test. During the creep test, the relative displacement of the lines (in the plane of observation) was measured by an interference microscope. Fig.2 shows (in microns) the relative displacement of the grains (circles) and the migration of the boundary (triangles) against time (in hours). Fig.3 shows a microphotograph of the bicrystal taken on the interference microscope ( $\times 280$ ) and Fig.4 the profile of the same sample at the grain boundary. The data show that deformation in Card 1/4

The connection between boundary ... S/126/61/012/002/011/019  
E021/E480

the boundary regions is not stopped when migration of the boundary occurs. Thus, the alternate relative displacement of grains and migration of boundary, as proposed in Ref.1 (Chang H.C., Grant N.J. J.Metals, 1952, No.6, 619) to explain the cyclic character of the deformation process in the boundary regions, is impossible. It is proposed that the cyclic nature of the process is caused by alternate hardening and softening, the softening in this case being connected with boundary migration. There are 4 figures and 11 references: 5 Soviet and 5 non-Soviet. The four most recent references to English language publications read as follows:

Chang H.C., Grant N.J. J.Metals, 1952, No.6, 619;  
Rhines F.N., Bound W.E., Kissel M.A., Trans. ASM, 1956, 48, 919;  
Tung S.K., Maddin R. J.Metals, 1957, 9, N7, sec.2, 905;  
McLean D. Rev. met., 1956, 53, 139.

ASSOCIATION: Institut metallovedeniya i fiziki metallov TsNIChM  
(Institute of Science of Metals and Physics of  
Metals TsNIChM)

SUBMITTED: December 19, 1960

Card 2/4

VOLOSHINA, L. F., TSYGANKOVA, T. M., KAL'FA, S. F. (Prof.) and DUBOVOY, E. D. (Prof.)

"The Application of Radiophosphorus in the Treatment of Certain Diseases of the Eye", a report presented at the Scientific Conference Devoted to the Application of "radioactive Substances in Medicine, Odessa Medical Institute, December 1954, Arkhiv, Patol., No 2, 1956

DUBOVA, O.A.; VOLOSHINOVA, L.M.

Rapid determination of the moisture in ceramic batches with  
the EM-1 hygrometer. Stek.i ker. 18 no.8:40 Ag '61.

(MIRA 14:8)

(Ceramics--Moisture)

VOLOSHINA, L.

✓ 1130. Some mechanical properties of rubberised belts. L. P. VOLOSHINA. *Vest. mash.*, 1954, 34, No. 11, 28-9; *U.S. Libr. Congr. Mon. List Russ. Acc.*, 1955, 7, 1775. Tests were carried out to determine the oscillation characteristics, strength, and elasticity of rubberised transmission belts. There are 4 U.S.S.R. references. 66B2221.342  
See also abstracts 1039 and 1088.

FLORINSKIY, F.V., prof.; VOLOSHINA, L.P., dots.; LYAKHOVITSKIY, S.I., kand.  
tekhn.nauk; SHIROCHENKO, Ye.V., dots. [deceased]; ARCHAKOVA, L.A.,  
inzh.; GVAY, T.B., inzh.; MURZINA, Z.I., inzh.

Results of research on screen vibrating in the horizontal horizontal  
plane. Izv.vys.ucheb.zav.; gor.zhur. no.2:167-170 '60.

(MIRA 14:5)

1. Dnepropetrovskiy gornyy institut.  
(Screens (Mining))



VOLOSHINA, L.P., kandidat tekhnicheskikh nauk.

Some mechanical properties of rubberized belts. Vest.mash. 34 no.11:  
28-29 N '54. (MLRA 7:11)  
(Belts and belting)

VOLOSHINA, L. P.

USSR/Engineering - Rubberized belts

Card 1/1 Pub. 128 - 6/32

Authors : Voloshina, L. P.

Title : About certain mechanical characteristics of rubberized belts

Periodical : Vest. mash. 11, 28-29, Nov 1954

Abstract : Tests were conducted to determine the oscillation characteristics, strength and elasticity of rubberized drive-belts. Four USSR references (1932-1948). Drawing; diagram; graph.

Institution : ...

Submitted : ...

VOLOSHINA, M.S. [Voloshyna, M.S.]

Some properties of one class of strongly elliptical systems  
of partial differential equations with variable coefficients.  
Dop. AN URSR. no.10:1033-1037 '58. (MIRA 12:1)

1. L'vovskiy gosudarstvennyy universitet im. Iv.Franka.  
Predstavil akademik AN USSR B.V.Onedenko [B.V.Hniedenko].  
(Differential equations, Partial)

AUTHOR: Voloshina, M.S.

SOV-21-58-9-1/28

TITLE: On Some Properties of One Class of Strongly Elliptical Systems (O nekotorykh svoystvakh odnogo klassa sil'no ellipticheskikh sistem)

PERIODICAL: Dopovidi Akademii nauk Ukrain's'koi RSR, 1958, Nr 9, pp 913 - 917 (USSR)

ABSTRACT: The author considers a self-conjugated system of Euler equations which corresponds to the basic variational problem for the positive definite functional (in the matrix manner of presentation)

$$\int_D (n) \dots \int \sum_{k,i=1}^n \frac{\partial u'(x)}{\partial x_k} A_{ki} \frac{\partial u(x)}{\partial x_i} dx_1, \dots, dx_n,$$

where D is a certain n-dimensional region of real space;

$A_{ki} = A_{ik}$  are constant real square matrices of p-order;

$A_{ki} = A'_{ki}$  (transposed matrix);  $x = (x_1, \dots, x_n)$  is a point

Card 1/3 of n-dimensional real space.

SOV-21-58-9-1/28

## On Some Properties of One Class of Strongly Elliptical Systems

## The system

$$A\left(\frac{\partial}{\partial x}\right)u(x) = \sum_{k,j=1}^n A_{kj} \frac{\partial^2 u(x)}{\partial x_k \partial x_j} = 0$$

is strongly elliptical in the meaning attached to this word by M.I. Vishik [Ref.4]. According to Ya.B. Lopatinskiy [Ref.1] the fundamental matrix of this system with singularity at point  $x = y$  looks as follows:

$$\varphi(x-y) = \frac{(n-3)!}{(-2\pi i)^n} \int \dots (n-2) \dots \int_{\substack{(\tau, t) = 1 \\ (t, y) = 1}} d\tau dt \int \frac{A^{-1}(\beta v + \tau)}{(x-y, \beta v + \tau)^{n-2}} d\beta,$$

where  $\mathbf{z}$  and  $\mathbf{v}$  are real  $n$ -dimensional unit vectors:

$\tau, \nu, + \dots + \tau_n \nu_n = 0$ ;  $d_r s$  is the element of the surface of the unit sphere  $(\tau, \tau) = 1$ ;  $\int (\dots) d\beta$  means integration over a simple positive-oriented closed contour which includes all  $\beta$ -roots of  $\det A(\beta \nu + \tau) = 0$  equation with positive imaginary part. The author proves a theorem which establishes the connection between the fundamental matrix and the nucleus of the potential type integral found by Ya.B. Lopatinskiy

Card 2/3

SOV-21-58-9-1/29

On Some Properties of One Class of Strongly Elliptical Systems

[Ref.2] for a general class of elliptical systems. This connection makes it possible to apply the Neumann-Kellog method of solving the Dirichlet problem in the case of the systems under consideration. There are 6 references, 5 of which are Soviet and 1 unidentified.

ASSOCIATION: L'vovskiy gosudarstvennyy universitet imeni I. Franka  
(L'vov State University imeni I. Franko)

PRESENTED: By Member of the AS UkrSSR, B.V. Gnedenko

SUBMITTED: March 22, 1958

NOTE: Russian title and Russian names of individuals and institutions appearing in this article have been used in the transliteration.

1. Topology 2. Matrix algebra--Applications

Card 3/3

AUTHOR: Voloshina, M.S.

SOV/21-58-10-1/27

TITLE: On Some Properties of One Class of Strongly Elliptical Systems of Partial Differential Equations with Variable Coefficients (O nekotorykh svoystvakh odnogo klassa sil'no ellipticheskikh sistem differentsial'nykh uravneniy s peremennymi koeffitsiyentami)

PERIODICAL: Dopovidi Akademii nauk Ukrain's'koi RSR, 1958, Nr 10, pp 1033-1037 (USSR)

ABSTRACT: A theorem derived by the author in the previous paper [Ref.7] on the connection between the fundamental matrix and the nucleus of the potential-type integral is applied to the case of the following system:

$$A\left(x, \frac{\partial}{\partial x}\right) u(x) \equiv \sum_{k,l=1}^n A_{kl}(x) \frac{\partial^2 u(x)}{\partial x_k \partial x_l} + \sum_{k=1}^n A_k(x) \frac{\partial u(x)}{\partial x_k} + A(x) u(x) = f(x),$$

which is a self adjoint system of Euler's equations corresponding to the basic variational problem for the positive-definite functional of the form:

Card 1/2

$$I(u) = \int_{\Omega} \left( \sum_{k,l=1}^n A_{kl}(x) \frac{\partial u}{\partial x_k} \frac{\partial u}{\partial x_l} + \sum_{k=1}^n A_k(x) u \frac{\partial u}{\partial x_k} + A(x) u^2 \right) dx, (dx = dx_1 \dots dx_n)$$

SOV/21-58-10-1/27

On Some Properties of One Class of Strongly Elliptical Systems of Partial Differential Equations With Variable Coefficients

where  $\cdot$  = const, and  $A$  is a square matrix of the  $p$ -order. The system of equations is strongly elliptical in a sense attached to this word by M.I. Vishik. Imposing some restrictions on the coefficients of this system, the author employs Neumann - Kellogg's method of solving the Dirichlet problem in the case of the system under consideration. This investigation was carried out under the guidance of Professor Ya.B. Lopatinskiy. There are 7 Soviet references.

ASSOCIATION: L'vovskiy gosudarstvennyy universitet im. Iv. Franka  
(L'vov State University imeni Iv. Franko)

PRESENTED: By Member of the AS UkrSSR, B.V. Gnedenko

SUBMITTED: April 14, 1958

NOTE: Russian title and Russian names of individuals and institutions appearing in this article have been used in the transliteration.

1. Partial differential equations--Theory

Card 2/2



VOLOSHINA, N.M., inzh.; BONDAR', V.I., inzh.

Yenakiyevo metallurgical plant. Metallurg 8 no.9:21-23 S '63.  
(MIRA 16:10)

(Yenakiyevo--Iron and steel plants)

MOTSNYY, A.V.; SHIYAN, F.I.; BAZILEVSKIY, A.R.; VOLOSHINA, N.M.

Treating internal surfaces of ingot molds with a powdered-metal  
paste. Sbor.rats.predl.vnedr.v proizvod. no.5:17 '60. (MIRA 14:8)

1. Yenakiyevskiy metallurgicheskiy zavod.  
(Foundries---Equipment and supplies)

VOLOSHINA N.Yu.

SAL'TSEVA, M.T.; VOLOSHINA, N.Yu.

Iodine test in the differential diagnosis of stenocardia and  
myocardial infarct. Terap.arkh. no.7:49-53 JI '62. (MIRA 15:8)

(HEART-INFARCTION) (ANGINA PECTORIS) (IODINE)

VOLOSHINA, R.I.; BELYAYEVA, N.I.

New fabrics made by the Bryansk Woolen and Worsted Combine.  
Tekst. prom. 23 no.10:46-50 0 '63. (MIRA 17:1)

1. Nachal'nik dessinatorskoy masterskoy Bryanskogo kamvol'nogo kombinata (for Voloshina). 2. Zaveduyushchiy khimicheskoy laboratoriyey Bryanskogo kamvol'nogo kombinata (for Belyayeva).

SAL'TSEVA, M.T., dotsent; VOLOSHINA, N.Yu., aspirant

Importance of Mallen's reaction in determining the activity of  
the rheumatic process. Vop.revm. 3 no.1:76-79 Ja-Mr '63.  
(MIRA 16:4)

1. Iz kafedry gosptal'noy terapii lechebnogo fakul'teta (zav. -  
prof. V.G.Vogralik) Gor'kovskogo meditsinskogo instituta imeni  
S.M.Kirova.

(RHEUMATIC HEART DISEASE)

17(

SOV/177-58-7-3/28

AUTHOR: Voloshina, U.A., Colonel of the Medical Corps

TITLE: Patterns of Forward Area Medical Charts and Casualty Disposition Tags

PERIODICAL: Voenno-meditsinskiy zhurnal, 1958, Nr 7, pp 17-20 (USSR)

ABSTRACT: The author gives a survey of the history of the medical chart, beginning from the time of Peter I to the present. The medical card published by the International Committee of the Red Cross after World War I has been improved and supplemented by the Soviet Military-Medical Administration. There is 1 form of a medical chart for front districts now being used, and 12 diagrams of classification marks on 2 centerfolds.

Card 1/1

VOLOSHTINA, U.A.

26007 Voloshina, U.A. i Elinov, A. Ye Meditsinskaya Dokumentatsiya V Voyskovoy  
Chasti Ina Korable. Voen.-Med. Zhurnal; 1948, No.6, S. 25-31.

SO: Letopis' Zhurnal Statey, No. 30, Moscow, 1948

**VOLOSHINA, V.P.**


Peculiarities of the clinical course of croupous pneumonia in children treated with antibiotics and sulfanilamides. Vop.okh.mat. i det. 1 no.6:87 M-D '56. (MIRA 10:1)

1. Iz kliniki detskikh bolezney Rostovskogo meditsinskogo instituta (PNEUMONIA) (ANTIBIOTICS) (SULFANILAMIDES)



KILIMOV, A.P.; VOLOSHINA, V.V.

Photoluminescence and absorption of acridone in solutions. Opt.i  
spektr. 12 no.5:647-649 My '62. (MIRA 15:5)  
(Acridanone--Spectra)



UKRAINE / Human and Animal Physiology. Blood.

T

Abs Jour: Ref Zhur-Biol., No 9, 1958, 41234.

Author : Voloshinov, B. M.

Inst : Not Given.

Title : The Leucolytic Index of the Blood Serum in Children.

Orig Pub: Pediatriya, akusherstvo. ginekologiya, 1956, No 5, 21-24.

Abstract: The leucolytic properties of the blood serum were studied in 27 boys and 18 girls, aged 2-10 and older, suffering from congenital hemolytic jaundice, pneumonia, parenteral dyspepsia, bronchitis and catarrhal otitis media. The ability of the childrens sera to dissolve guinea pig leucocytes may serve as an index of changes in the status of the protective properties of the body. The serum leucolytic index (LI) in 50 adults varied from

Card 1/2

55

STULIY, L.A.; SAFRONOVA, O.N.; BUTS'KA, L.K., kand. med. nauk; KRIVOBOKOV, S.A. [Kryvobokov]; VOLOSHINOV, B.M. [Voloshynov, B.M.], dotsent BICHKOVSKIY, V.N. [Byshkova'kyi, V.N.] dotsent; POKOTILOVA, V.Yu. [Pokotylova, V. IU]; KOLESNIKOV, G.F. [Kolesnykov, H.F.]; ZLATKIS, L.S.; SAVOST'YANOVA, S.I.; BRIN, D.D. [Bryn, D.D.]; MATVEYENKO, Ye.A. [Matvilenko, IE.A.]; BRONZ, L.M.; YEPSHTEYN, L.G. [Epshtein, L.H.], kand. med. nauk; SHAKHNOVICH, L.A. [Shakhnovych, L.A.]

Annotations and authors' abstracts. Pediat. akush. ginek. no.3: 31-34 '63 (MIRA 17:1)

1. Khar'kovskiy nauchno-issledovatel'skiy institut okhrany materinstva i detstva (for Stuliy).
2. Kafedra detskikh bolezney Odesskogo meditsinskogo instituta (for Safronova).
3. Ukrainskiy institut okhrany materinstva i detstva (for Buts'ka).
4. Detskiy sanatoriy dlya rekonvalescentov ot tuberkuleznogo meningita, Kiyev, Pushcha-Voditsa (for Krivobokov).
5. Detskaya klinika Ivano-Frankovskogo meditsinskogo instituta (for Voloshinov).
6. Kafedra detskikh infektsionnykh bolezney Krymskogo meditsinskogo instituta (for Bichkovskiy, Pokotilova).
7. Institut infektsionnykh bolezney Kiyev (for Kolesnikov).
8. Khar'kovskiy oblastnoy detskiy dom No.1 (for Zlatkis, Savost'yanova, Brin, Matveyenko).
9. Kafedra pediatrii Kiyevskogo meditsinskogo instituta (for Bronz).
10. Kafedra fakul'tetskoy pediatrii Gor'kovskogo meditsinskogo instituta (for Yepshteyn).
11. 2-ya detskaya bol'nitsa Shevchenkivskogo rayona g. Kiyeva (for Shakhnovich).

EXCERPTA MEDICA Sec 7 Vol 13/4 Pediatrics Apr 59

945. THE LEUCOLYTIC INDEX OF BLOOD SERUM IN CHILDREN (Russian text) - Voloshinov B. M. - PEDIAT. AKUSH. I GINEK. 1956, 5 (21-24)  
Study was made of the leucolytic property of the blood serum in adults and children, using guinea-pig leucocytes for which the leucolysis figures are constant. The method of determining the leucolytic index according to Yudina is described. The author holds that the leucolytic ability of the children's blood serum can be a pointer to the functional state of the defence mechanisms of the organism. The leucolytic index of adults varied from 10 to 60%, the average figures being 21-40%. The leucolytic index in healthy children aged 4 months - 4 yr. was 20-31%, and in sick children (aged 6 months to 16 yr.) 0.9-60%, depending on the stage of the disease. In convalescence the index figures approached the normal. (S)

VOLOSHINOV, B.S., inzhener; SHCHUPKIN, V.A., inzhener.

InUMZ planetary reduction gears. Vest.mash. 36 no.11:8-12 N'56.  
(MLRA 10:1)

(Gearing)

VOLOSHINOV, D.B.

Elastotonometric examinations in hypertension. Oft. zhur. 14 no.2:  
101-107 '59. (MIRA 12:7)

1. Iz kliniki glaznykh bolezney (zav. - prof. S.F. Kal'fa) Odesskogo  
meditsinskogo instituta.

(EYE--EXAMINATION) (HYPERTENSION)

GUREVICH, M.B., arkhitektor; YEL'KIN, G.A., arkhitektor; FILENKOV, Yu.P., arkhitektor; ZIL'BERMAN, G.P., arkhitektor; KRYUKOV, G.V., arkhitektor; PANCHENKO, N.D., arkhitektor; VOLOSHINOV, G.I., arkhitektor

Regardless of passengers convenience and economics of constructions. Transp. stroi. 15 no.3:57 Mr '65. (MIRA 18:11)

1. Vsesoyuznyy nauchno-issledovatel'skiy institut tekhnicheskoy estetiki (for Gurevich, Yel'kin, Filenkov).
2. Novosibirskproyekt (for Zil'berman).
3. MVKhTU (for Kryukov).
4. Moskovskiy gosudarstvennyy proyektnoisyskatel'skiy i nauchno-issledovatel'skiy institut transporta Ministerstva transportnogo stroitel'stva SSSR (for Panchenko, Voloshinov).



VOLOSHINOV, S.D.

100-9-6/11

AUTHORS: Vinitskiy, A.M., Candidate of Technical Sciences  
and Voloshinov, S.D., Engineer.

TITLE: Automatic Regulation of Pressure in Cement Grouting  
Operations (Avtomaticheskoye regulirovaniye davleniya  
pri proizvodstve tsementatsionnykh rabot)

PERIODICAL: Mekhanizatsiya Stroitel'stva, 1957, No. 9,  
pp. 18 - 19 (USSR).

ABSTRACT: The Laboratory for Automation of the Scientific and  
Research Institute for Building Industry, YuZhNII, designed  
in collaboration with the Cementation Institute a system for  
pile cementation which has the following features: speed,  
accuracy and simplicity of manual setting to a pre-determined  
pressure; possibility to alter manually the pressure during  
the process; smoothness and continuity of the automatic regu-  
lation of pressure; the servo-motor on the valve can be dis-  
connected automatically; reliable operation during adverse  
weather conditions. Electrical automatic control of the  
pressure is applied. The pointer of a pressure gauge is joined  
with the spring loaded contact which slides along a wire  
resistance so that the movement of the pressure gauge pointer  
changes the point of contact on a potentiometer resistance.  
Card1/2 The basic circuit diagram of the control circuit is shown in

100-9-6/11

Automatic Regulation of Pressure in Cement Grouting Operations

Fig.3, p.19, and a photograph of it is reproduced in Fig.4, p.19. The drive is effected by a 0.27 kW, 3-phase asynchronous motor through a reductor gear which reduces the speed of the drive shaft to 8 r.p.m; the screw producing the pressure can be rotated in either direction. The highest sensitivity is achieved by feeding the equipment with a d.c. of 26 V and to maintain the voltage within the desired limits, a ferro-resonance stabiliser with a barretter tube is used. The pressure is maintained with an accuracy of  $\pm 1.5\%$  for variations of the supply voltage of  $\pm 20\%$ . The automatic controls are designed for many years' operation, but the barretter has to be replaced after each 2 000 hours. There are 4 figures.

AVAILABLE: Library of Congress

Card 2/2

1. Construction-Equipment
2. Pressure-Control systems
3. Servo motors-Applications

*Voloshinov, S.D.*

VINITSKIY, A.M., kand.tekhn.nauk; VOLOSHINOV, S.D., inzh.

The automatic regulation of pressure in cementation. Mekh.stroi.  
14 no.9:18-19 S '57. (MIRA 10:11)  
(Cement) (Automatic control)

VOLOSHINOV, S.D., inzhener.

Circulating method of injecting cement into ground. Stroi.  
prom.32 no.2:45-46 F '54. (MLRA 7:2)

1. YuZhNII. (Soil stabilization) (Grouting)

VOLOSHINOV, V.; RUMYANTSEV, N.

Visual method for studying the processes occurring in engines.  
Avt. transp. 38 no. 5:49-50 My '60. (MIRA 14:2)  
(Saratov—Automobile engineering—Study and teaching)

*Voloshina, Y.P.*  
VOLOSHINA, V.P.

Clinical aspects of primary sarcoma of the pleura. *Sov.med.* 21  
Supplement:28-29 '57. (MIRA 11:2)

1. Iz gorodskoy klinicheskoy bol'nitsy No.1 Ashkhabada.  
(PLEURA--CANCER)

VOLOSHINOV, V.P., inzh.

Methods of the synthesis of  $2n$ -pole circuits according to given  
operational characteristics. Trudy LIIZHT no.176:99-107 '61.  
(MIRA 15:5)

(Electric filters) (Electric networks)

VOLOSHINOV, V.P., inzh.

Stability of feedback amplifiers. Sbor. trud. LIIZHT no.179  
133-138 '61. (MIRA 16:11)



VOLOSHINOV, V.P., inzh.

Design of a system of antimetric filters for simultaneous operation.  
Sbor. trud. LIIZHT no.186 Elektrosviaz' i radiotekhnika:152-161 '62.  
(MIRA 16:7)

(Electric filters)  
(Pulse techniques (Electronics))

VOLOSHINOV, V.P.

Calculation of a system of jointly operating filters. Frudy Ural.  
elektromekh. inst. inzh. zhel. dor. transp. no.8:93-105 '63.  
(MIRA 18:7)

YERSHOV, A.P.; KOZHUKHIN, O.I.; VOLOSHIN, Yu.M.

[Input language for an automatic programming system; preliminary information] Vkhodnoi iazyk sistemy avtomaticheskogo programmirovaniia; predvaritel'noe soobshchenie. Moskva, Vychislitel'nyi tsentr AN SSSR, 1961. 173 p. (MIRA 14:8)  
(Programming(Electronic computers))

VOLOSHINOVA A.M.  
GORONOVSKIY, I.T.; VOLOSHINOVA, A.M.

Viscosimetry of the coagulation of aluminum and iron hydroxides  
at the moment of their formation during the hydrolysis of salts.  
Koll.zhur. 16 no.5:333-339 S-O '54. (MIRA 7:11)  
(Coagulation) (Viscosimeter) (Aluminum hydroxide) (Iron  
hydroxide)

VOLOSHINOVA, A.M.

U S S R .

✓ Viscometric study of the coagulation of aluminum and iron hydroxides during their formation in the hydrolysis of salts.  
I. T. Gerasimovskii and A. M. Voloshinova, *Colloid J. (U.S.S.R.)* 16, 327-31 (1954) (Eng. translation).—See *C.A.* 49, 2#18a.

H. L. H.

*m qe*

VOLOSHINOVA, G.A.

1132 551.525-536.21  
 Voloshinova, G. A. Svrnenie razlichnykh metodov opredelenia koefitsienta temperaturoprovodnosti. [Comparison of different methods for determining the coefficient of heat conduction.] Leningrad. Glavnaia tsifikatsionnaia laboratoriia, Trudy, No. 22(81): 31-37, 1950. 2 tables, 3 refs., 3 equations. D.C.—The precision of various formulas for calculating the coefficient of heat conductivity of the soil is examined by applying each formula to the same temperature data. The formulas include the expression of LATKEMAN and TSELIUS. It was found that the formula of TSELIUS gives an exact value for the coefficient of heat conduction during the hours when the flow changes direction and that of LATKEMAN for diurnal period when the former is not applicable. Subject Headings: 1. Heat conductivity of soil 2. Heat conductivity coefficient 3. Soil temperatures.—I.L.D.

VOLOSHINOVA, G.A.

"Thermal Exchange in the Soil, the Arysak Expedition of 1945," Trudy  
NIU GUGMS, Series 1, No 39, 1947.

VOLOSHINOVA, G.A.

Heat exchange in the soil; measurement of soil temperature.  
Trudy NIU Ser.1 no.39:32-36 '47. (MIRA 7:2)  
(Soil temperature)



DUBOVA, O.A.: VOLOSHINOVA, L.M.

Service of refractories used in high-temperature melting of glass.  
Stek. 1 ker. 18 no.10:39-42 0 '61. (MIR, 14:11)

1. Lisichanskiy stekol'nyy zavod.  
(Refractory materials) (Glass furnaces)

1. VOLOSHINOVA, N. A.
2. USSR (600)
4. Sakhalin - Geology, Stratigraphic
7. Stratigraphy and microfauna of the Tertiary deposits of northern Sakhalin. (Abstract.)  
Izv.Glav.upr.geol.fon. no. 3, 1947.

9. Monthly Lists of Russian Accessions, Library of Congress, March 1953, Unclassified.

VOLOSHINOVA, N.A.

The genus *Buccella* Andersen and its species from the Neogene of  
Sakhalin. Trudy VNIIGRI no.153:265-305 '60. (MIRA 13:7)  
(Sakhalin--Foraminifera, Fossil)

VOLOSHINOVA, N.A.; KUZNETSOVA, V.N.

New data on the morphology and evolutionary development of some  
representatives of the family Elphidiidae. Vop. mikropaleont.  
no.8:138-153 '64. (MIRA 18:5)

1. Vsesoyuznyy nauchno-issledovatel'skiy geologorazvedochnyy  
neftyanoy institut.

VOLOSHINOVA, N. A.

Voloshivova, N. A. "On a new representative of the Miliolidae family--  
Dogielina sarmatica gen. et sp. n., from the central-Sarmatian deposits  
of the Crimen-Caucasus Oblast", Trudy Vsesoyuz. nef. nauch.-issled. goel.  
razved. in-t, New series, Issue 34, 1949, p. 183-86, with table.

SO: U-4392, 19 August 53, (Letopis Zhurnal 'nykh Statey, No 21, 1949).

1. VOLOSHINOVA, M. A.
2. USSR (600)
4. Micropaleontology-Sakhalin
7. Stratigraphy and microfauna of the Tertiary deposits of northern Sakhalin. [Abstract]  
Izv.Glav.upr.geol.fon. no. 3, 1947.

9. Monthly List of Russian Accessions, Library of Congress, March 1953, Unclassified.

VOLOSHINOVA, E.A.; BUDASHEVA, A.I.

Lituolids and trochamminids from Tertiary deposits of Sakhalin  
and Kamchatka. Trudy VNIIGI no.170:169-269 '61.

(MIRA 14:10)

(Sakhalin--Foraminifera, Fossil)

(Kamchatka--Foraminifera, Fossil)

1. VOLOSHINOVA, N. A.
2. USSR (600)
4. Geology, Stratigraphic - Sakhalin
7. Stratigraphy and microfauna of the Tertiary deposits of northern Sakhalin.  
[Abstract]. Izv. Glav. upr. geol. fon. no.3 1947

9. Monthly Lists of Russian Accessions, Library of Congress, March 1953, Unclassified



BYKOVA, N.K.; BALAKHMATOVA, V.T.; VASILENKO, V.P.; VOLOSHINOVA, N.A.;  
GRIGELIS, A.; DAIN, L.G.; IVANOVA, L.V.; KUZINA, V.I.; KUZNETSOVA,  
Z.V.; KOZYREVA, V.F.; MOROZOVA, V.G.; MYATLYUK, Ye.V.; SUBBOTINA, N.N.

New genera and species of Foraminifera. Trudy VNIGRI no.115:5-106  
'58. (MIRA 11:10)

(Foraminifera, Fossil)

VOLOSHINOVA, N.A.

New systematics of Monionidae. Trudy VNIORI no.115:117-223 '58.  
(Foraminifera, Fossil)

1. VOLOSHINOVA, N. A.
2. USSR (600)
4. Sakhalin - Micropaleontology
7. Stratigraphy and microfauna of the Tertiary deposits of northern Sakhalin. (Abstract.)  
Izv.Glav.upr.geol.fon. no. 3, 1947.

9. Monthly Lists of Russian Accessions, Library of Congress, March 1953, Unclassified.

VOLOSHINOVA, N.A.

Degree of knowledge and ways for the further study of Tertiary  
Lituolidae. Vop. mikropaleont. no.8:3-12 '64.

(MIRA 18:5)

1. Sakhalinskoye otdeleniye Vsesoyuznogo nauchno-issledovatel'skogo  
geologorazvedochnogo neftyanogo instituta.

VOLOSHINOVA, N.A.

Dagi series of the Okha-Ekhabi region. Trudy VNIGRI no.181:63-72  
'61. (MIRA 15:2)

(Okha region—Geology, Stratigraphic)  
(Ekhabi region—Geology, Stratigraphic)

L 22424-65 EWT(d)/EWT(v)/EWP(k)/EWP(h)/EWP(l) Pf-4 MK

ACCESSION NR: AT4047751

S/G 000/64/000/009/0164/0.71

AUTHOR: Voloshinova, Ye. V.

TITLE: Tentative physiological analysis of the solution of a control problem by man

SOURCE: AN SSSR. Institut avtomatiki i telemekhaniki. Teoriya i primeneniye avtomaticheskikh sistem (Theory and application of automatic systems). Moscow, Izd-vo Nauka, 1964, 164-171

TOPIC TAGS: automaton, human engineering

ABSTRACT: A special experimental outfit (see Enclosure 1) consisting of a dynamoelectric amplifier (EMU-8), a control device, and three voltmeters was employed for testing how a subject (man) solves a problem of controlling the output of a plant. By operating the control handle, the subject had to bring the output variable to a specified value ( $x = 0$ ) from its initial value ( $x_0 = 50$  v). The volt-

Card 1/1

L 22424-65

ACCESSION NR: AT4047751

2

meters indicated his actions (No. 1) and their effects (No. 2 and No. 3). Six subjects were tested. Two series of experiments were staged: (1) Learning to control the plant describable by a 2nd order differential equation; the plant included two integrating units; and (2) Controlling the plant with different speeds of the processes in it; subjects trained in the first series of experiments were employed. Learning the control functions by a man is regarded as consisting of three stages which are explained on the basis of I. M. Sechenov's and I. P. Pavlov's ideas. "The project was carried out under the guidance of L. G. Voronin and A. Ya. Lerner." Orig. art. has: 7 figures and 6 formulas.

ASSOCIATION: none

SUBMITTED: 06Jun64

ENCL: 01

SUB CODE: DP

NO REF SOV: 014

OTHER: 006

Cord 2/3

40706

9.9/10

S/169/62/000/008/079/090  
E032/E114

AUTHOR: Voloshinova, Z.V.

TITLE: Verification of the accuracy of the "Forecasting of maximum usable frequencies at different solar activities" using ionospheric data

PERIODICAL: Referativnyy zhurnal, Geofizika, no.8, 1962, 24, abstract 8 G 177. (Tr. In-ta zemn. magn. ionosfery i rasprostr. radiovoln. AN SSSR, no.19(29), 1961, 52-70).

TEXT: "The forecasting of maximum usable frequencies at different solar activities" which contains MUF graphs for regular layers of the ionosphere and sunspot numbers  $W = 0, 50, 100$  and  $150$  was checked by comparison with observational data obtained at ionospheric stations. It was found that the accuracy of the forecast is on the average quite satisfactory for activity levels  $W < 150$ . During the years of very high solar activity the forecast gives MUF values which are too high by 10-15%. The maximum accuracy is achieved for middle latitudes of the northern hemisphere. An analysis is given of the reasons for the

Card 1/2

X



Verification of the accuracy of ...

S/169/62/000/008/079/090  
E032/E114

discrepancies between the forecasts and the observations, and  
steps are recommended whereby the accuracy can be increased.

[Abstractor's note: Complete translation.]

Card 2/2

VOLOSHINA, N. M.

PHASE I BOOK EXPLOITATION

80V/5556

81

Moscow. Institut stali.

Novoye v teorii i praktike proizvodstva martenovskoy stali (New [Developments] in the Theory and Practice of Open-Hearth Steelmaking) Moscow, Metallurgizdat, 1961. 439 p. (Series: Trudy Mezvuzovskogo nauchnogo soveshchaniya) 2,150 copies printed.

Sponsoring Agency: Ministerstvo vysshego i srednego spetsial'nogo obrazovaniya RSFSR. Moskovskiy inatitut stali imeni I. V. Stalina.

Eds.: M. A. Glinkov, Professor, Doctor of Technical Sciences, V. V. Kondakov, Professor, Doctor of Technical Sciences, V. A. Kudrin, Docent, Candidate of Technical Sciences, G. N. Oyks, Professor, Doctor of Technical Sciences, and V. I. Yavovskiy, Professor, Doctor of Technical Sciences; Ed.: Ye. A. Borko; Ed. of Publishing House: N. D. Gromov; Tech. Ed.: A. I. Karasev.

PURPOSE: This collection of articles is intended for members of scientific institutions, faculty members of schools of higher education, engineers concerned with metallurgical processes and physical chemistry, and students specializing in these fields.

Card 1/14

New [Developments] in the Theory (Cont.)

807/5556

COVERAGE: The collection contains papers reviewing the development of open-hearth steelmaking theory and practice. The papers, written by staff members of schools of higher education, scientific research institutes, and main laboratories of metallurgical plants, were presented and discussed at the Scientific Conference of Schools of Higher Education. The following topics are considered: the kinetics and mechanism of carbon oxidation; the process of slag formation in open-hearth furnaces using in the charge either ore-lime briquets or composite flux (the product of calcining the mixture of lime with bauxite); the behavior of hydrogen in the open-hearth bath; metal desulfurization processes; the control of the open-hearth thermal melting regime and its automation; heat-engineering problems in large-capacity furnaces; aerodynamic properties of fuel gases and their flow in the furnace combustion chamber; and the improvement of high-alloy steel quality through the utilization of vacuum and natural gases. The following persons took part in the discussion of the papers at the Conference: S.I. Filippov, V.A. Kudrin, M.A. Glinkov, R.P. Naz, V.I. Yavoyakiy, O.W. Oyks and Ye. V. Chelishchev (Moscow Steel Institute); Ye. A. Kazachkov and A. S. Kharitonov (Zhdanov Metallurgical Institute); N.S. Mikhaylets (Institute of Chemical Metallurgy of the Siberian Branch of the Academy of Sciences USSR); A.I. Stroganov and D. Ye. Povolotskiy (Chelyabinsk Polytechnic Institute); P.V. Umrikhin (Ural Polytechnic Institute); I.I. Fomin (the Moscow "Serp i molot" Metallurgical Plant); V.A. Fuklev (Central Asian Polytechnic Institute).

Card 2/14

New [Developments] in the Theory (Cont.)

80V/5556

and M.I. Beylinov (Night School of the Dneprodzerzhinsk Metallurgical Institute).  
References follow some of the articles. There are 268 references, mostly Soviet.

TABLE OF CONTENTS:

Foreword

5

Yavovskiy, V. I. [Moskovskiy institut stali - Moscow Steel Institute].  
Principal Trends in the Development of Scientific Research in Steel  
Manufacturing

7

Filippov, S. I. [Professor, Doctor of Technical Sciences, Moscow Steel  
Institute]. Regularity Patterns of the Kinetics of Carbon Oxidation  
in Metals With Low Carbon Content

15

[V. I. Antonenko participated in the experiments.]

Levin, S. L. [Professor, Doctor of Technical Sciences, Dnepropetrovskiy  
metallurgicheskiy institut - Dnepropetrovsk Metallurgical Institute].

Card 3/14

New [Developments] in the Theory (Cont.)

BOV/5556

10

Kleyn, A.L., and P.V. Umrikhin [Ural Polytechnic Institute]. Slag Formation When Using Composite Flux Produced by Calcination of Lime-Bauxite Mixture

117

Ushakov, Ye. N. [Candidate of Technical Sciences], Ye. V. Abrosimov, [Docent, Candidate of Technical Sciences], V.I. Kozlov, V.A. Shcherbakov [Engineers], A.G. Kotin [Candidate of Technical Sciences], and M.P. Sabiyev [Engineer], [Moscow Steel Institute, Ukrainakiy nauchno-issledovatel'skiy institut metallov - Ukrainian Scientific Research Institute of Metals, Alchevskiy metallurgicheskiy zavod - Alchevsk Metallurgical Plant]. Improving the Steelmaking Process in Large-Capacity Open-Hearth Furnaces

125

Voloshina, N.M. [Engineer]. Using Ore-Lime Briquets Instead of Ore and Lime in the Open-Hearth Process

133

[D.I. Sapiro, P.I. Kovalev, S.I. Zhmak, G. Ye. Kravtsov, Engineers, and I.M. Tkachenko, A.P. Polotayev, Technicians participated in the research work]

Ofengenden, A.M. [Engineer]. Accelerating the Slag Formation and Desulfurization in the Open-Hearth Process

140

Card 6/14

VOLOSHINOV, V.P., inzh.

Designing filter connections for joint operation according to  
working parameters. Trudy LIIZHT no.176:108-114 '61. (MIRA 15:5)  
(Electric filters)

NAPALKOV, A.V.; VOLOSHINOVA, Ye.V.

Interrelation between the various components of the complex system of conditioned motor food reflexes in rats. Zhur. vys. nerv. deiat. 11 no.6:1127-1133 1961. (MIRA 15:3)

1. Chair of Physiology of the Higher Nervous Activity,  
Moscow University.

(CONDITIONED RESPONSE)

ACC NR: AP7002009

SOURCE CODE: UR/0043/66/000/004/0064/0074

AUTHOR: Voloshinova, T. V.

ORG: none

TITLE: Synthesis of an invariant structure for some systems of multiply-connected control. I

SOURCE: Leningrad. Universitet. Vestnik. Seriya matematiki, mekhaniki astronomii, no. 4, 1966, 64-74

TOPIC TAGS: control theory, mathematic matrix, automatic control system, matrix element, polynomial, characteristic equation

ABSTRACT: A system of multiply-connected control consisting of  $m$  separate, structurally identical multiloop systems is examined. The equations for the  $i$ -th separate system under zero initial conditions are:

$$\left. \begin{aligned} T_i p \eta_i + \psi_i &= 0, \\ - \sum_{k=1}^m r_{ik} \eta_k + (T_i p + 1) \mu_i &= 0, \\ - \sum_{k=1}^m c_{ik} \mu_k + (T_i^{j+1} p + 1) \mu_i^{j+1} &= 0 \quad (j=1, \dots, n-1), \end{aligned} \right\}.$$

Card 1/3

UDC: 621.3.078



ACC NR: AP7002005

$$-\sum_{k=1}^n c_{ik} p_k + \sum_{k=1}^n (T_{ik} p + m_{ik}) \psi_k = \sum_{k=1}^n \lambda_{ik} f_k$$

(see Fig. 1).




Fig. 1. Graphical representation of system

The system is reduced to one matrix equation for  $\psi$ :

$$\left\{ \left[ \prod_{i=0}^{n-1} G_{n-i} (T_{n-i} p + E)^{-1} \right] R(T, p)^{-1} + (T_n p + M) \right\} \psi = \Lambda f.$$

In order that the product of nondegenerate matrices A and B be a diagonal matrix (AB = D), it is necessary and sufficient that the columns of B be proportional to the columns of A<sup>-1</sup>, or that the rows of A be proportional to the rows of B<sup>-1</sup>. If B is a scalar matrix and square matrices A and C with nonzero diagonal elements such that the product AC = D is a nondegenerate diagonal matrix, then ABC = D<sub>1</sub> is a diagonal matrix. Four solutions of the system are examined. Solution IV:

$$T_n = D, M = D, \Lambda = D,$$

Card 2/3

ACC NR: AP7002009

$$\begin{aligned} R^{-1}C_l^{-1} &= D \quad (1 \leq l \leq n) \\ C_k &= D \quad (k = l+1, \dots, n), \\ C_k &= v_k E \quad (k = 1, \dots, l-1), \\ T_k &= \bar{v}_k E \quad (k = 1, \dots, l). \end{aligned}$$

An example of a multiply-connected control system consisting of two one-loop separate systems, each of which has two degrees of amplification, is examined. Orig. art. has: 44 formulas and 4 diagrams.

SUB CODE: 12/ SUBM DATE: 29Nov65/ ORIG REF: 004/ OTH REF: 001

Card 3/3

S/271/63/000/001/012/047  
D413/D308

AUTHORS: Voloshinova, Ye.V. and Shtil'man, Ye.V.

TITLE: On the simulation of learning processes in automatic systems

PERIODICAL: Referativnyy zhurnal, Avtomatika, telemekhanika i vychislitel'naya tekhnika, no. 1, 1963, 39, abstract 1A216 (In collection: Avtomat. regulirovaniye i upr., M., AN SSSR, 1962, 188-199)

TEXT: The authors consider the topical problem of the simulation by automatic devices of certain functions of the human and animal brains. They describe the human and animal methods of learning. They point out that the 'method of trial and error' is the fundamental learning method for animals, and briefly set out the principles taken as the basis of machines for proving Gelernter's and Rochester's theorems, of Selfridge's pandemonium and Rosenblatt's perceptron, and also consider the learning machine produced in the USSR, designed in the cybernetics SIB of the MEI. They draw conclusions.

Card 1/2

On the simulation of learning ...

S/271/63/000/001/012/047  
D413/D308

sions on the basic features of the learning process in living organisms and automatic systems, and give a classification of automatic learning systems. 18 references.

[Abstracter's note: Complete translation]

Card 2/2

VOLOSHINOVA, YE. V. 55

PHASE I BOOK EXPLOITATION SOV/6012

Akademiya nauk SSSR. Institut avtomatiki i telemekhaniki.

Avtomaticheskoye regulirovaniye i upravleniye (Automatic Regulation and Control) Moscow, Izd-vo AN SSSR, 1962. 526 p. Errata slip inserted. 9000 copies printed.

Resp. Ed.: Ya. Z. Tsypkin, Professor, Doctor of Technical Sciences;  
Ed. of Publishing House: Ye. M. Grigor'yev; Tech. Ed.: I. M. Dorokhina.

PURPOSE: This book is intended for scientific research workers and engineers concerned with automation.

COVERAGE: The book is a collection of articles consisting of papers delivered at the 7th Conference of Junior Scientists of the Institute of Automation and Telemekhanics, Academy of Sciences USSR, held in March 1960. A wide range of scientific and technical questions relating to automatic regulation and control is covered.

Card 1/12

Automatic Regulation (Cont.)

SOV/6012

The articles are organized in seven sections, including automatic control systems, automatic process control, computing and decision-making devices, automation components and devices, statistical methods in automation, theory of relay circuits and finite automatic systems, and automated electric drives. No personalities are mentioned. References are given at the end of each article.

TABLE OF CONTENTS:

PART I. AUTOMATIC CONTROL SYSTEMS

Andreychikov, B. I. The effect of dry friction and slippage [play] on error during reverse gear operation of servofeed systems 3

Andreychikov, B. I. Dynamic accuracy of machine tools with programmed control 14

Card 2/12

Automatic Regulation (Cont.)

20V/6012

Morkin, K. B. Transmitter autotuning system using an automatic optimizer	144
Parsheva, R. P. On the boundedness of transient regimes in a five-dimensional automatic control system	154
Shadrin, V. M. Programmed control system with frequency distribution of channels	161
Pateyeva, E. A. Three-channel optimizer	167
Khasanov, M. M. Analysis of the dynamic characteristics of an automatic control system for air conditioners	176
Yelashinova, Ye. V. and Ye. V. Shtil'man. On modelling learning-processes in automatic systems	188

Card 5/12

1. 09-69-67

ACC NR: AP6028895

(A,N)

SOURCE CODE: UR/0325/66/000/003/0103/0106

54

AUTHOR: Voloshinova, Ye. V.

ORG: Department of Physiology of Higher Nervous Activity, Moscow State University, im. M. V. Lomonosov (Kafedra fiziologii vysshey nervnoy deyatel'nosti Moskovskogo gosudarstvennogo universiteta)

TITLE: Electrophysiologic studies<sup>22</sup> of the human performance of operational tasks

SOURCE: Nauchnyye doklady vysshey shkoly. Biologicheskiye nauki, no. 3, 1966, 103-106

TOPIC TAGS: man, central nervous system, signal processing, training, recognition process, EEG, EMG, *CONDITIONED REFLEX*

ABSTRACT: The work reports on studies of changes in tentative reactions during the process of training to handle equipment modeling different tasks. The reactions were monitored by EEG, skin-galvanic reaction (SGR) and electromyogram (EMG) of the lower lip, on the assumption that reactions to the secondary signal system, i.e., reactions reflected in speech and thought, are related to kinetic impulses connected with the work of the speech organs. Five groups of individuals, priorily tested for their reactions on the monitoring equipment, received varying degrees of instructions on task performance. Reactions were the same for all groups. In tests for the various stages of establishing a skill, changes were observed in SGR and EEG, the two components of tentative reflex. The SGR and desynchronization of cortical rhythms were seen in the

Card 1/2



L 08167-67

ACC NR: AP6028895

0

first test, conditioned tentative reaction to the signal "attention" in the 6-10th test. During training, weakening of tentative reaction was seen (SCR extinction) but no complete disappearance (retained EEG component). Blockade of electric brain activity is retained; it is a component of orientation reaction and forms one system with the conditioned reflex. It is determined by the functional state of the brain arising in the presence of a complex conditioned reflex act. Constant EEG reactions reflect a specialized tentative reflex to a conditioned signal. Orig. art. has: 1 table and 1 figure.

SUB CODE: 06, 07/ SUBM DATE: 15Sep65/ ORIG REF: 009

Card 2/2 nst

KERBLAY, T.S.; VOLOSHINOVA, Z.V.

Estimation of the inclinations of equal electron concentrations  
in the ionosphere based on data on the distribution of ionization  
with height. Geomag. i aer. 4 no.1:61-66 Ja-F'64.

(MIRA 17:2)

1. Institut zemnogo magnetizma ionosfery i rasprostraneniya  
radiqvoln AN SSSR.

~~VOLOSHINOVA, Z.V.~~

Verifying the "forecast of the maximum usable frequencies under  
different conditions of solar activity" on the basis of ionospheric  
data. Trudy IZMIRAN no.19:52-70 '61. (MIRA 15:3)  
(Ionospheric radio wave propagation) (Radio frequency)

ACCESSION NR: APL013139

S/0203/64/004/001/0061/0066

AUTHORS: Kerblay, T. S.; Voloshinova, Z. V. .

TITLE: Determining the slopes of surfaces having equal electron concentrations in the ionosphere from data on the distribution of ionization with height

SOURCE: Geomagnetizm i aeronomiya, v. 4, no. 1, 1964, 61-66

TOPIC TAGS: ionosphere, electron concentration, ionization distribution,  $N(h)$  profile

ABSTRACT: The authors have investigated slopes of equal electron concentration arising from differences in heights of equal density distribution ( $h_{N_c}$ ) at different latitudes through differences in illumination and because of latitudinal distribution of  $h_{N_c}$ . In the first case a definite diurnal course in slope angle was observed according to changes in  $h_{N_c}$ . Negative slope angles of  $2-3^\circ$  were observed as the sun rose. Negative values of equal value characterized the evening hours. In the second case (latitudinal variations in  $h_{N_c}$ ), the slope angle reached  $5^\circ$ .

Card 1/2

ACCESSION NR: AP4013139

Computations of slope angles were made from data on  $N(h)$  profiles at a number of stations in different latitudes and from the world map for  $h_m$ ,  $Y_m$ . It was found that the map gives much smaller absolute values than the data on  $N(h)$  profiles for individual days, but the times of appearance and the direction of slope are in agreement. The authors conclude that maps of  $h_m$ ,  $Y_m$ , replotted to maps of  $h_{N_c}$ , may be used to determine the effect of these equal-concentration slopes on the propagation of short waves. Orig. art. has: 3 figures and 2 tables.

ASSOCIATION: Institut zemnogo magnetizma, ionosfery\* i rasprostraneniya radiovoln AN SSSR (Institute of Terrestrial Magnetism, the Ionosphere, and Propagation of Radio Waves AN SSSR)

SUBMITTED: 22May63

DATE ACQ: 02Mar64

ENCL: 00 0

SUB CODE: ES

NO REF SOV: 004

OTHER: 002

Card 2/2

AUTHORS: Voloshinskiy, A. and Kobelev, L. SOV/126-6-2-25/34  
TITLE: On the Dispersion Relation for an Electron Plasma  
(O dispersionnom sootnoshenii dlya elektronnoy plazmy)  
PERIODICAL: Fizika Metallov i Metallovedeniye, 1958, Vol 6, Nr 2,  
pp 356-357 (USSR)  
ABSTRACT: The dispersion relation for an electron plasma which was  
first obtained by Vlasov (Ref.1) was also discussed by  
Klimantovich et alii (Ref.2) and Bohm (Ref.3). In all  
these papers the plasma was considered in the self-  
consistent field approximation. Virtual interaction of  
electrons with the self-consistent field when electrons  
are scattered by the field was not taken into account.  
The problem is now re-examined and it is shown that in  
the general case the dispersion relation is determined  
not only by the form of the electron Green's function  
but also by the form of the photon Green's function.  
The dispersion relation is given in an explicit form.

Card 1/2

SOV/126-6-2-25/34

On the Dispersion Relation for an Electron Plasma

S. V. Vonsovskiy (Corresponding Member of the Ac.Sc.USSR)  
and V. L. Bonch-Bruyevich are thanked for their help.  
There are 8 references, 4 of which are Soviet, 4 English.

ASSOCIATION: Ural'skiy gosuniversitet imeni A. M. Gor'kogo  
(Ural State University imeni A. M. Gorkiy)

SUBMITTED: April 1, 1957

Card 2/2    1. Electron gas--Properties    2. Electrons--Scattering

BOLOTIN, G.A.; VOLOSHINSKIY, A.N.; KIRILLOVA, M.M.; NOSKOV, M.M.;  
SOKOLOV, A.V.; CHARIKOV, B.A.

Optical properties of titanium and vanadium in the infrared  
region of the spectrum. Fiz. met. i metalloved. 13 no.6:823-831  
Je '62. (MIRA 15:7)

1. Institut fiziki metallov AN SSSR.  
(Titanium—Optical properties) (Vanadium—Optical properties)  
(Spectrum, Infrared)



39760

S/126/62/013/006/002/018

E202/E492

9.5370

AUTHORS: Bolotin, G.A., Voloshinskiy, A.N., Kirillova, M.M.,  
Noskov, M.M., Sokolov, A.V., Charikov, B.A.

TITLE: Optical properties of titanium and vanadium in the  
infrared spectral region

PERIODICAL: Fizika metallov i metallovedeniye, v.13, no.6, 1962,  
823-831

TEXT: Experimental data of the magnitude and frequency  
dependence of the real and imaginary components of the complex  
permittivity  $\epsilon'$  for titanium, vanadium and gold were studied in  
the region of 2 to  $10\mu$ , and room temperature. The changes in  
the state of polarization occurring during reflections from the  
surfaces of the metals were measured. Mirrors were prepared  
from 99.99% pure vanadium and titanium iodide by mechanical  
polishing in an acidic medium. Measurements of static electro-  
conductivity at room and liquid nitrogen temperatures confirmed  
the high purity of the samples used. Gold mirror was prepared by  
vacuum deposition and was used for comparison. Parallel beam of  
polarized infrared light was reflected in turn from four metallic  
Card 1/4

4

S/126/62/013/006/002/018  
E202/E492

Optical properties of ...

mirror surfaces and the ratio of the parallel and perpendicular intensities and phase differences of the polarized component were evaluated. Emerging from the analyser, the beam was focused on the slit of the infrared spectrometer type MKC-12 (IKS-12). The ellipticity components were evaluated by the method of parallel polarizers. Almost complete data of  $n$ ,  $k$  and the real  $\epsilon_1$  and imaginary  $\epsilon_2$ , component dependency on frequency was tabulated at  $0.5\mu$  intervals for Ti, Va and Au. Plots of reflectivity and dispersive power versus wavelength were also included. The above experimental data were used in a detailed theoretical analysis of relations existing between the dielectric permittivity and wavelength, using the elaborate method of approximating polynomials. Polynomials satisfying the experimental data gave the following values for the respective coefficients:

$$\begin{aligned} \text{Titanium: } \epsilon_1 &= -624\lambda^{-4} + 348\lambda^{-2} - 57.2 + 4.62\lambda^2 - 0.0154\lambda^4, \\ \epsilon_2 &= 43.94\lambda^{-1} + 11.16\lambda + 0.20\lambda^3; \end{aligned} \quad (6)$$

Card 2/4

S/126/62/013/006/002/018  
E202/E492

Optical properties of ...

Vanadium:  $\epsilon_1 = 2.9 + 8.05 \lambda^2 - 0.034 \lambda^4;$   
 $\epsilon_2 = -3683 \lambda^{-5} + 2167 \lambda^{-3} - 392 \lambda^{-1} + 33.4 \lambda + 0.139 \lambda^3;$  (7)

Gold:  $\epsilon_1 = -16.5 + 37.2 \lambda^2 - 0.12 \lambda^4;$   
 $\epsilon_2 = 1.55 \lambda^3 - 0.0024 \lambda^2.$  (8)

Detailed contributions of various groups of electrons participating in the above expressions were identified. The groups of optical electrons found were related to the s- and d-bands. Current carriers in small d-bands contributed relatively little to conductivity. Additional data on Hall coefficient confirmed two types of carriers with the conductivity in the d-band being of the hole type. In the case of gold, similar results were obtained by means of the simple method of equalization, which proved the reliability of the method of approximating polynomials. There are 6 figures and 2 tables.

Card 3/4

Optical properties of ...

S/126/62/013/C06/002/018  
E202/E492

ASSOCIATION: Institut fiziki metallov AN SSSR  
(Institute of Physics of Metals AS USSR)

SUBMITTED: January 17, 1962

Card 4/4